

# CERTIFICATE

## of Conformity of the Factory Production Control

### 1922 - CPR - 0386

In compliance with Regulation (EU) No 305/2011 of the European Parliament and of the council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction products

**Products and systems for the protection and repair of concrete structures. Surface protection systems for concrete. Reinforcement corrosion protection**

(For list of products, see Annex 1 to 1922 - CPR - 0386 that is an inseparable part of this certificate)

placed on the market under the name or trade mark of

**NEOTEX SA**

**V.Moira Str. 19600 Industrial Area Mandra, Greece**

and produced in the manufacturing plant

**NEOTEX SA**

**V. Moira Str. 19600 Industrial Area Mandra, Greece**

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standards

**EN 1504-2:2004 and EN 1504-7:2006**

under system 2+ are applied and that the factory production control is assessed to be in conformity with the applicable requirements.

This certificate was first issued on 21.11.2014 and will remain valid as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified factory production control certification body. The certificate is supported through annual surveillance audit and is reissued after each surveillance audit. This certificate should be reissued not later than 20.11.2016. The validity of this certificate can be verified in the CE register on [www.dedal-bg.net](http://www.dedal-bg.net).



Issued:  
Burgas, 01 July 2016

Embossed stamp of "Dedal - A&C" Ltd.



Manager:

arch. Galina Vasileva

## ANNEX I TO CERTIFICATE OF CONFORMITY OF THE FACTORY PRODUCTION CONTROL 1922-CPR-0386 / 01.07.2016

List of Surface protection systems for concrete, acc. to EN 1504-2

No:	Product	Essential characteristics			
		Determination of liquid water permeability (EN 1062-3)	Measurement of bond strength by pull-off (EN 1542)	Determination of carbon dioxide permeability (EN 1062-6)	Determination of water-vapour transmission properties (EN ISO 7783)
1.	Neorooft	0.04 kg/m <sup>2</sup> h <sup>0,5</sup>	1.55 N/mm <sup>2</sup>	X	class I
2.	Neorooft 2K	0.04 kg/m <sup>2</sup> h <sup>0,5</sup>	1.43 N/mm <sup>2</sup>	X	class I
3.	Revinex Flex 2006	0.07 kg/m <sup>2</sup> h <sup>0,5</sup>	1.44 N/mm <sup>2</sup>	X	class I
4.	Neopress + Revinex	0.02 kg/m <sup>2</sup> h <sup>0,5</sup>	1.62 N/mm <sup>2</sup>	X	class I
5.	Neoproof PU W	0.04 kg/m <sup>2</sup> h <sup>0,5</sup>	2.53 N/mm <sup>2</sup>	X	class I
6.	Revinex Flex FP	0.03 kg/m <sup>2</sup> h <sup>0,5</sup>	2.52 N/mm <sup>2</sup>	X	class I
7.	Revinex Flex ES	0.02 kg/m <sup>2</sup> h <sup>0,5</sup>	1.61 N/mm <sup>2</sup>	X	class I
8.	Revinex Flex U360	0.09 kg/m <sup>2</sup> h <sup>0,5</sup>	1.35 N/mm <sup>2</sup>	X	class I
9.	Silatex Super	0.02 kg/m <sup>2</sup> h <sup>0,5</sup>	2.09 N/mm <sup>2</sup>	X	class I
10.	Neolastik® 1K	0.056 kg/m <sup>2</sup> h <sup>0,5</sup>	1.55 N/mm <sup>2</sup>	X	class II
11.	Neoproof® Polyurea C1	0.003 kg/m <sup>2</sup> h <sup>0,5</sup>	2.42 N/mm <sup>2</sup>	X	class II
12.	Neoproof® Polyurea L	0.007 kg/m <sup>2</sup> h <sup>0,5</sup>	2.58 N/mm <sup>2</sup>	X	class II
13.	Neoproof® Polyurea R	0.006 kg/m <sup>2</sup> h <sup>0,5</sup>	2.39 N/mm <sup>2</sup>	X	class II
14.	Neopox® Special	0.094 kg/m <sup>2</sup> h <sup>0,5</sup>	2.62 N/mm <sup>2</sup>	X	class II
15.	Neoproof® PU360	0.067 kg/m <sup>2</sup> h <sup>0,5</sup>	2.60 N/mm <sup>2</sup>	X	class I

List of Reinforcement corrosion protection, acc. to EN 1504-7

No:	Product	Essential characteristics		
		Corrosion protection test (EN 15183)	Shear adhesion of coated steel to concrete (pull-out test) (EN 15184)	Determination of glass transition temperatures of polymers (EN 12614)
1.	Ferrorep	X	X	X



Embossed stamp of "Dedal - A&C" Ltd.



Manager:

arch. Galina Vasileva